

India

Ashish Bavdekar (PI), KEMHRC, Pune
Sudipto Roy (CoPI), KEMHRC, Pune

Feasibility of implementation of simplified management of young infants with possible serious bacterial infection when referral is not feasible in tribal areas of Pune district, Maharashtra, India

Study Documentation

August 10, 2020

Metadata Production

Metadata Producer(s)	Harshpreet Kaur (HK) , Vadu HDSS,KEMHRC , DDI author
Production Date	August 9, 2020
Version	DDI.VADU.PSBI.2019.v1
Identification	DDI.VADU.PSBI.2019.v1

Table of Contents

Overview	4
Scope & Coverage	4
Producers & Sponsors	4
Sampling	5
Data Collection	5
Data Processing & Appraisal	5
Accessibility	6
Rights & Disclaimer	6
Files Description	8
PSBI CRF 1 Identification	8
PSBI CRF 2 Management non-referrals	8
Variables List	9
PSBI CRF 1 Identification	9
PSBI CRF 2 Management non-referrals	11
Variables Description	18
PSBI CRF 1 Identification	19
PSBI CRF 2 Management non-referrals	47

Feasibility of implementation of simplified management of young infants with possible serious bacterial infection when referral is not feasible in tribal areas of Pune district, Maharashtra, India

Overview	
Type	Sample Survey
Identification	VADU.PSBI.2019.v1
Version	Production Date: 2019-03-30 VADU.PSBI.2019.v1 => edited dataset for public distribution
Series	Not applicable
Abstract KEM Hospital Research Centre Pune, India, in collaboration with the Health Department, Zilla parishad, Pune, India, conducted an Implementation Research study titled 'Feasibility of implementation of simplified management of young infants with possible serious bacterial infection when referral is not feasible in tribal areas of Pune district, Maharashtra, India'. This document describes the data collected and analyzed in the study, published in manuscript in Plos One. The data includes two datasets. The first dataset describes the clinical features and history of sick young infants identified in the study and the second dataset describes their management. Both the datasets include data of 175 sick young children identified and managed between August 2017 and March 2019.	
Kind of Data	Event history data
Unit of Analysis	Individual

Scope & Coverage	
Scope The data is for all sick young children identified and managed in the study.	
Keywords	Critical illness, Clinical severe infection, Pneumonia
Topics	Bacterial infection [D001424], Pneumonia [D011014]
Time Period(s)	2017-2019
Countries	India
Geographic Coverage Eight tribal primary health centers in Pune district, India	
Universe The data includes all children aged 0-59 days residing in the study area during the study period.	

Producers & Sponsors	
Primary Investigator(s)	Ashish Bavdekar (PI), KEMHRC, Pune Sudipto Roy (CoPI), KEMHRC, Pune
Other Producer(s)	Health Department, Zilla Parishad , Pune District
Funding Agency/ies	Bill and Melinda Gates Foundation (BMGF) , The study was supported by a grant from the Bill and Melinda Gates Foundation, through the Department of Maternal, Newborn and Adolescent Health and Ageing, World Health Organization, Geneva, Switzerland. World Health Organization (WHO) , KEMHRC Pune received funds through a Technical Services Agreement with WHO

Other Acknowledgment(s)	Tathagata Bhattacharjee , Data management Harshpreet Kaur , Data management , Vadu HDSS, KEMHRC
--------------------------------	--

Sampling
<u>Sampling Procedure</u> Not Applicable
<u>Deviations from Sample Design</u> Not Applicable
<u>Response Rate</u> Not applicable
<u>Weighting</u> Not Applicable

Data Collection	
Data Collection Dates	Release coverage: start 2017-08-01 Release coverage: end 2019-03-30
Time Period(s)	start 2017-08-01 end 2019-03-30
Data Collection Mode	Face-to-face [f2f]
<u>Data Collection Notes</u> Training of Fieldworkers: Training was planned and executed at the centre ie at Vadu HDSS before the data collection round begins. Training session was conducted and evaluated by both the trainees and trainers. Trainers completed evaluation by asking questions in order to identify problems that trainees experienced during the training.	
<u>Questionnaires</u> Language of communication was in Marathi. The form labels are multilingual - in English and Marathi, but the data entered through the forms are in English only. CRF-1: Identification form CRF-2: Management- non-referrals	
Data Collector(s)	Kavita Thide (KT) , Vadu HDSS, KEMHRC Field Research Assistant (FRA) , Vadu HDSS, KEMHRC

Data Processing & Appraisal
<u>Data Editing</u> 1. We have removed the personal identifiers from the data to anonymise the data. 2. We have removed time of CRF filling as it was not relevant for data analysis.
<u>Other Processing</u> 1. Once collected, data was checked by study co-ordinator and quality assurance officer after which data was cleaned. 2. Data entry was done by data entry operator. 3. Cleaned dataset was used by study investigators for further analysis.

Accessibility	
Access Authority	Sudipto Roy (KEMHRC,Pune) , admin.vadu@kemhrcvadu.org
Contact(s)	Sudipto Roy (KEMHRC, Pune) , admin.vadu@kemhrcvadu.org
Confidentiality Data are anonimized before sharing with persons interested in analyzing the data for scientific purposes.	
Access Conditions This data is made available for licensed access under the following conditions:	
<ol style="list-style-type: none"> 1. Data and other material provided by INDEPTH will not be redistributed or sold to other individuals, institutions or organisations without INDEPTH's written agreement. 2. In the case of multi-centre datasets, data originating from a single contributing member centre of the INDEPTH Network may not be analysed or reported on in isolation without the express permission of the member centre concerned. 3. No attempt will be made to re-identify respondents, and there will be no use of the identity of any person or establishment discovered inadvertently. Any such discovery will be reported immediately to INDEPTH. 4. No attempt will be made to produce links between datasets provided by INDEPTH or between INDEPTH data and other datasets that could identify individuals. 5. Any books, articles, conference papers, theses, dissertations, reports or other publications employing data obtained from INDEPTH will cite the source, in line with the citation requirement provided with the dataset. 6. An electronic copy of all publications based on the requested data will be sent to INDEPTH. 7. The original collector of the data, INDEPTH, and the relevant funding agencies bear no responsibility for the data's use or interpretation or inferences based upon it. 	
Citation Requirements Any use of this dataset must cite the digital object identifier (doi) associated with this dataset. Using the following form: "Feasibility of implementation of simplified management of young infants with possible serious bacterial infection when referral is not feasible in tribal areas of Pune district, Maharashtra, India. Provided by the INDEPTH Network Data Repository. www.indepth-network.org < http://www.indepth-network.org >. doi:10.7796/VADU.PSBI.2019.v1"	

Rights & Disclaimer
Disclaimer

The user of the data acknowledges that the original collector of the data, INDEPTH, and the relevant funding agencies bear no responsibility for the data's use or interpretation or inferences based upon it.

Copyright	This dataset documentation is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License. The dataset is shared in terms of the data-use agreement accepted at the time of data download.
------------------	--

Files Description

Dataset contains 2 file(s)

PSBI_CRF 1_Identification	
# Cases	175
# Variable(s)	89
Version v1	
Notes MD5#: 5DDB5BB44C8EB9A9534589E19BEC67BC	

PSBI_CRF 2_Management _non-referrals	
# Cases	71
# Variable(s)	244
Version v1	
Notes MD5#: EF46B654C9A8820BEF8908049A364DF2	

Variables List

Dataset contains 333 variable(s)

File PSBI_CRF 1_Identification							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SrNo	Sr No	discrete	character-3	175	0	-
2	Q.1	Q.1	discrete	character-5	175	0	-
3	Q.2	Q.2	discrete	character-2	175	0	-
4	Q.3	Q.3	discrete	character-3	175	0	-
5	Q.4	Q.4	discrete	character-6	175	0	-
6	Q.5	Q.5	discrete	character-3	175	0	-
7	Q.6	Q.6	discrete	character-6	175	0	-
8	Q.7	Q.7	discrete	character-7	175	0	-
9	Q.10	Q.10	discrete	character	173	-	-
10	Q.12	Q.12	discrete	character-3	175	0	-
11	Q.13	Q.13	discrete	character-3	175	0	-
12	Q.14	Q.14	discrete	character-3	175	0	-
13	Q.15	Q.15	discrete	character-3	175	0	-
14	Q.16	Q.16	discrete	character-3	175	0	-
15	Q.17	Q.17	discrete	character-3	175	0	-
16	Q.18	Q.18	discrete	character-2	175	0	-
17	Q.19	Q.19	discrete	character-3	175	0	-
18	Q.20	Q.20	discrete	character-3	175	0	-
19	Q.21	Q.21	discrete	character-3	175	0	-
20	Q.22	Q.22	discrete	character-2	175	0	-
21	Q.23	Q.23	discrete	character-3	175	0	-
22	Q.24	Q.24	discrete	character-3	175	0	-
23	Q.25	Q.25	discrete	character-3	175	0	-
24	Q.26	Q.26	discrete	character-3	175	0	-
25	Q.27	Q.27	discrete	character-3	175	0	-
26	Q.28	Q.28	discrete	character-2	175	0	-
27	Q.29	Q.29	discrete	character-3	175	0	-
28	Q.30	Q.30	discrete	character-2	175	0	-
29	Q.31	Q.31	discrete	character-3	175	0	-
30	Q.32	Q.32	discrete	character-16	175	0	-
31	Q.33	Q.33	discrete	character-16	175	0	-
32	Q.34	Q.34	discrete	character-3	175	0	-
33	Q.35	Q.35	discrete	character-3	175	0	-
34	Q.36	Q.36	discrete	character-3	175	0	-
35	Q.37	Q.37	discrete	character-3	175	0	-
36	Q.38	Q.38	discrete	character-3	175	0	-

File PSBI_CRF 1_Identification							
#	Name	Label	Type	Format	Valid	Invalid	Question
37	Q.39	Q.39	discrete	character-3	175	0	-
38	Q.40	Q.40	discrete	character-22	175	0	-
39	Q.41	Q.41	discrete	character-3	175	0	-
40	Q.42	Q.42	discrete	character-3	175	0	-
41	Q.43	Q.43	discrete	character-2	175	0	-
42	Q.44	Q.44	discrete	character-3	175	0	-
43	Q.45	Q.45	discrete	character-3	175	0	-
44	Q.46	Q.46	discrete	character-2	175	0	-
45	Q.47	Q.47	discrete	character-2	175	0	-
46	Q.48	Q.48	discrete	character-21	175	0	-
47	Q.49	Q.49	discrete	character-3	175	0	-
48	Q.50	Q.50	discrete	character-6	175	0	-
49	Q.51	Q.51	discrete	character-2	175	0	-
50	Q.52	Q.52	discrete	character-3	175	0	-
51	Q.53	Q.53	discrete	character-3	175	0	-
52	Q.54	Q.54	discrete	character-2	175	0	-
53	Q.55	Q.55	discrete	character-3	175	0	-
54	Q.56	Q.56	discrete	character-2	175	0	-
55	Q.57	Q.57	discrete	character-6	175	0	-
56	Q.58	Q.58	discrete	character-14	175	0	-
57	Q.59	Q.59	discrete	character-2	175	0	-
58	Q.60	Q.60	discrete	character-2	175	0	-
59	Q.61	Q.61	discrete	character-3	175	0	-
60	Q.62	Q.62	discrete	character-3	175	0	-
61	Q.63	Q.63	discrete	character-3	175	0	-
62	Q.64	Q.64	discrete	character-3	175	0	-
63	Q.65	Q.65	discrete	character-3	175	0	-
64	Q.66	Q.66	discrete	character-3	175	0	-
65	Q.67	Q.67	discrete	character-3	175	0	-
66	Q.68	Q.68	discrete	character-13	175	0	-
67	Q.69	Q.69	discrete	character-18	175	0	-
68	Q.70	Q.70	discrete	character-3	175	0	-
69	Q.71	Q.71	discrete	character-3	175	0	-
70	Q.72	Q.72	discrete	character-3	175	0	-
71	Q.73	Q.73	discrete	character-3	175	0	-
72	Q.74	Q.74	discrete	character-2	175	0	-
73	Q.75	Q.75	discrete	character-3	175	0	-
74	Q.76	Q.76	discrete	character-3	175	0	-
75	Q.77	Q.77	discrete	character-2	175	0	-

File PSBI_CRF 1_Identification							
#	Name	Label	Type	Format	Valid	Invalid	Question
76	Q.78	Q.78	discrete	character	103	-	-
77	Q.79	Q.79	discrete	character-3	175	0	-
78	Q.80	Q.80	discrete	character-45	175	0	-
79	Q.81	Q.81	discrete	character-3	175	0	-
80	Q.82	Q.82	discrete	character-2	175	0	-
81	Q.83	Q.83	discrete	character-78	175	0	-
82	Q.84	Q.84	discrete	character-3	175	0	-
83	Q.85	Q.85	discrete	character-3	175	0	-
84	Q.86	Q.86	discrete	character-7	175	0	-
85	Q.87	Q.87	discrete	character-14	175	0	-
86	Q.88	Q.88	discrete	character-3	175	0	-
87	Q.89	Q.89	discrete	character-2	175	0	-
88	Q.90	Q.90	discrete	character-3	175	0	-
89	Q.91	Q.91	discrete	character-2	175	0	-

File PSBI_CRF 2_Management_non-referrals							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	SrNo	Sr No	discrete	character-2	71	0	-
2	Q.5	Q. 5	discrete	character-5	71	0	-
3	Q.6.1	Q. 6.1	discrete	character	71	-	-
4	Q.8.1.2	Q. 8.1.2	discrete	character-3	71	0	-
5	Q.9.1.1	Q. 9.1.1	discrete	character-3	71	0	-
6	Q.9.1.2	Q. 9.1.2	discrete	character-2	71	0	-
7	Q.9.1.3	Q. 9.1.3	discrete	character-2	71	0	-
8	Q.9.1.4	Q. 9.1.4	discrete	character-2	71	0	-
9	Q.9.1.5	Q. 9.1.5	discrete	character-2	71	0	-
10	Q.9.1.6	Q. 9.1.6	discrete	character-2	71	0	-
11	Q.9.1.7	Q. 9.1.7	discrete	character-2	71	0	-
12	Q.10.1	Q. 10.1	discrete	character-6	71	0	-
13	Q.10.1.1	Q. 10.1.1	discrete	character-3	71	0	-
14	Q.8.1.1	Q. 8.1.1	discrete	character-3	71	0	-
15	Q.11.1	Q. 11.1	discrete	character-4	71	0	-
16	Q.12.1	Q. 12.1	discrete	character-3	71	0	-
17	Q.13.1	Q. 13.1	discrete	character-3	71	0	-
18	Q.14.1	Q. 14.1	discrete	character-2	71	0	-
19	Q.15.1	Q. 15.1	discrete	character-2	71	0	-
20	Q.16.1	Q. 16.1	discrete	character-3	71	0	-
21	Q.17.1	Q. 17.1	discrete	character-2	71	0	-
22	Q.18.1	Q. 18.1	discrete	character-2	71	0	-

File PSBI_CRF 2_Management_non-referrals							
#	Name	Label	Type	Format	Valid	Invalid	Question
23	Q.19.1	Q. 19.1	discrete	character-2	71	0	-
24	Q.20.1	Q. 20.1	discrete	character-3	71	0	-
25	Q.21.1	Q. 21.1	discrete	character-3	71	0	-
26	Q.22.1	Q. 22.1	discrete	character-2	71	0	-
27	Q.23.1	Q. 23.1	discrete	character-9	71	0	-
28	Q.24.1	Q. 24.1	discrete	character-9	71	0	-
29	Q.25.1	Q. 25.1	discrete	character-9	71	0	-
30	Q.6.2	Q. 6.2	discrete	character	71	-	-
31	Q.8.1.2_D2	Q. 8.1.2_D2	discrete	character-3	71	0	-
32	Q.8.2.2	Q. 8.2.2	discrete	character-3	71	0	-
33	Q.9.1.2_D2	Q. 9.1.2_D2	discrete	character-3	71	0	-
34	Q.9.2.2	Q. 9.2.2	discrete	character-2	71	0	-
35	Q.9.3.2	Q. 9.3.2	discrete	character-2	71	0	-
36	Q.9.4.2	Q. 9.4.2	discrete	character-2	71	0	-
37	Q.9.5.2	Q. 9.5.2	discrete	character-2	71	0	-
38	Q.9.6.2	Q. 9.6.2	discrete	character-2	71	0	-
39	Q.9.7.2	Q. 9.7.2	discrete	character-2	71	0	-
40	Q.10.2	Q. 10.2	discrete	character-6	71	0	-
41	Q.10.2.2	Q. 10.2.2	discrete	character-3	71	0	-
42	Q.11.2	Q. 11.2	discrete	character-6	71	0	-
43	Q.12.2	Q. 12.2	discrete	character-3	71	0	-
44	Q.13.2	Q. 13.2	discrete	character-2	71	0	-
45	Q.14.2	Q. 14.2	discrete	character-2	71	0	-
46	Q.15.2	Q. 15.2	discrete	character-2	71	0	-
47	Q.16.2	Q. 16.2	discrete	character-3	71	0	-
48	Q.17.2	Q. 17.2	discrete	character-2	71	0	-
49	Q.18.2	Q. 18.2	discrete	character-2	71	0	-
50	Q.19.2	Q. 19.2	discrete	character-2	71	0	-
51	Q.20.2	Q. 20.2	discrete	character-3	71	0	-
52	Q.21.2	Q. 21.2	discrete	character-3	71	0	-
53	Q.22.2	Q. 22.2	discrete	character-2	71	0	-
54	Q.23.2	Q. 23.2	discrete	character-9	71	0	-
55	Q.24.2	Q. 24.2	discrete	character-9	71	0	-
56	Q.25.2	Q. 25.2	discrete	character-9	71	0	-
57	Q.6.3	Q. 6.3	discrete	character	70	-	-
58	Q.8.1.3	Q. 8.1.3	discrete	character-3	71	0	-
59	Q.8.2.3	Q. 8.2.3	discrete	character-3	71	0	-
60	Q.9.1.3_D3	Q. 9.1.3_D3	discrete	character-3	71	0	-
61	Q.9.2.3	Q. 9.2.3	discrete	character-2	71	0	-

File PSBI_CRF 2_Management_non-referrals							
#	Name	Label	Type	Format	Valid	Invalid	Question
62	Q.9.3.3	Q. 9.3.3	discrete	character-2	71	0	-
63	Q.9.4.3	Q. 9.4.3	discrete	character-2	71	0	-
64	Q.9.5.3	Q. 9.5.3	discrete	character-2	71	0	-
65	Q.9.6.3	Q. 9.6.3	discrete	character-2	71	0	-
66	Q.9.7.3	Q. 9.7.3	discrete	character-2	71	0	-
67	Q.10.3	Q. 10.3	discrete	character-6	71	0	-
68	Q.10.1.3	Q. 10.1.3	discrete	character-3	71	0	-
69	Q.11.3	Q. 11.3	discrete	character-6	71	0	-
70	Q.12.3	Q. 12.3	discrete	character-3	71	0	-
71	Q.13.3	Q. 13.3	discrete	character-2	71	0	-
72	Q.14.3	Q. 14.3	discrete	character-2	71	0	-
73	Q.15.3	Q. 15.3	discrete	character-2	71	0	-
74	Q.16.3	Q. 16.3	discrete	character-3	71	0	-
75	Q.17.3	Q. 17.3	discrete	character-2	71	0	-
76	Q.18.3	Q. 18.3	discrete	character-2	71	0	-
77	Q.19.3	Q. 19.3	discrete	character-2	71	0	-
78	Q.20.3	Q. 20.3	discrete	character-3	71	0	-
79	Q.21.3	Q. 21.3	discrete	character-2	71	0	-
80	Q.22.3	Q. 22.3	discrete	character-2	71	0	-
81	Q.23.3	Q. 23.3	discrete	character-9	71	0	-
82	Q.24.3	Q. 24.3	discrete	character-9	71	0	-
83	Q.25.3	Q. 25.3	discrete	character-9	71	0	-
84	Q.6.4	Q. 6.4	discrete	character	67	-	-
85	Q.8.1.4	Q. 8.1.4	discrete	character-3	71	0	-
86	Q.8.2.4	Q. 8.2.4	discrete	character-3	71	0	-
87	Q.9.1.4_D4	Q. 9.1.4_D4	discrete	character-3	71	0	-
88	Q.9.2.4	Q. 9.2.4	discrete	character-2	71	0	-
89	Q.9.3.4	Q. 9.3.4	discrete	character-2	71	0	-
90	Q.9.4.4	Q. 9.4.4	discrete	character-2	71	0	-
91	Q.9.5.4	Q. 9.5.4	discrete	character-2	71	0	-
92	Q.9.6.4	Q. 9.6.4	discrete	character-2	71	0	-
93	Q.9.7.4	Q. 9.7.4	discrete	character-2	71	0	-
94	Q.10.4	Q. 10.4	discrete	character-6	71	0	-
95	Q.10.1.4	Q. 10.1.4	discrete	character-2	71	0	-
96	Q.11.4	Q. 11.4	discrete	character-6	71	0	-
97	Q.12.4	Q. 12.4	discrete	character-2	71	0	-
98	Q.13.4	Q. 13.4	discrete	character-2	71	0	-
99	Q.14.4	Q. 14.4	discrete	character-2	71	0	-
100	Q.15.4	Q. 15.4	discrete	character-2	71	0	-

File PSBI_CRF 2_Management_non-referrals							
#	Name	Label	Type	Format	Valid	Invalid	Question
101	Q.16.4	Q. 16.4	discrete	character-3	71	0	-
102	Q.17.4	Q. 17.4	discrete	character-2	71	0	-
103	Q.18.4	Q. 18.4	discrete	character-2	71	0	-
104	Q.19.4	Q. 19.4	discrete	character-2	71	0	-
105	Q.20.4	Q. 20.4	discrete	character-3	71	0	-
106	Q.21.4	Q. 21.4	discrete	character-2	71	0	-
107	Q.22.4	Q. 22.4	discrete	character-2	71	0	-
108	Q.23.4	Q. 23.4	discrete	character-5	71	0	-
109	Q.24.4	Q. 24.4	discrete	character-5	71	0	-
110	Q.25.4	Q. 25.4	discrete	character-5	71	0	-
111	Q.6.5	Q. 6.5	discrete	character	67	-	-
112	Q.8.1.5	Q. 8.1.5	discrete	character-3	71	0	-
113	Q.8.2.5	Q. 8.2.5	discrete	character-3	71	0	-
114	Q.9.1.5_D5	Q. 9.1.5_D5	discrete	character-3	71	0	-
115	Q.9.2.5	Q. 9.2.5	discrete	character-2	71	0	-
116	Q.9.3.5	Q. 9.3.5	discrete	character-2	71	0	-
117	Q.9.4.5	Q. 9.4.5	discrete	character-2	71	0	-
118	Q.9.5.5	Q. 9.5.5	discrete	character-2	71	0	-
119	Q.9.6.5	Q. 9.6.5	discrete	character-2	71	0	-
120	Q.9.7.5	Q. 9.7.5	discrete	character-2	71	0	-
121	Q.10.5	Q. 10.5	discrete	character-6	71	0	-
122	Q.10.1.5	Q. 10.1.5	discrete	character-2	71	0	-
123	Q.11.5	Q. 11.5	discrete	character-6	71	0	-
124	Q.12.5	Q. 12.5	discrete	character-2	71	0	-
125	Q.13.5	Q. 13.5	discrete	character-2	71	0	-
126	Q.14.5	Q. 14.5	discrete	character-2	71	0	-
127	Q.15.5	Q. 15.5	discrete	character-2	71	0	-
128	Q.16.5	Q. 16.5	discrete	character-3	71	0	-
129	Q.17.5	Q. 17.5	discrete	character-2	71	0	-
130	Q.18.5	Q. 18.5	discrete	character-2	71	0	-
131	Q.19.5	Q. 19.5	discrete	character-2	71	0	-
132	Q.20.5	Q. 20.5	discrete	character-3	71	0	-
133	Q.21.5	Q. 21.5	discrete	character-2	71	0	-
134	Q.22.5	Q. 22.5	discrete	character-2	71	0	-
135	Q.23.5	Q. 23.5	discrete	character-5	71	0	-
136	Q.24.5	Q. 24.5	discrete	character-5	71	0	-
137	Q.25.5	Q. 25.5	discrete	character-5	71	0	-
138	Q.6.6	Q. 6.6	discrete	character	60	-	-
139	Q.8.1.6	Q. 8.1.6	discrete	character-3	71	0	-

File PSBI_CRF 2_Management_non-referrals							
#	Name	Label	Type	Format	Valid	Invalid	Question
140	Q.8.2.6	Q. 8.2.6	discrete	character-3	71	0	-
141	Q.9.1.6_D6	Q. 9.1.6_D6	discrete	character-3	71	0	-
142	Q.9.2.6	Q. 9.2.6	discrete	character-2	71	0	-
143	Q.9.3.6	Q. 9.3.6	discrete	character-2	71	0	-
144	Q.9.4.6	Q. 9.4.6	discrete	character-2	71	0	-
145	Q.9.5.6	Q. 9.5.6	discrete	character-2	71	0	-
146	Q.9.6.6	Q. 9.6.6	discrete	character-2	71	0	-
147	Q.9.7.6	Q. 9.7.6	discrete	character-2	71	0	-
148	Q.10.6	Q. 10.6	discrete	character-6	71	0	-
149	Q.10.1.6	Q. 10.1.6	discrete	character-2	71	0	-
150	Q.11.6	Q. 11.6	discrete	character-6	71	0	-
151	Q.12.6	Q. 12.6	discrete	character-2	71	0	-
152	Q.13.6	Q. 13.6	discrete	character-2	71	0	-
153	Q.14.6	Q. 14.6	discrete	character-2	71	0	-
154	Q.15.6	Q. 15.6	discrete	character-2	71	0	-
155	Q.16.6	Q. 16.6	discrete	character-3	71	0	-
156	Q.17.6	Q. 17.6	discrete	character-2	71	0	-
157	Q.18.6	Q. 18.6	discrete	character-2	71	0	-
158	Q.19.6	Q. 19.6	discrete	character-2	71	0	-
159	Q.20.6	Q. 20.6	discrete	character-3	71	0	-
160	Q.21.6	Q. 21.6	discrete	character-2	71	0	-
161	Q.22.6	Q. 22.6	discrete	character-2	71	0	-
162	Q.23.6	Q. 23.6	discrete	character-5	71	0	-
163	Q.24.6	Q. 24.6	discrete	character-5	71	0	-
164	Q.25.6	Q. 25.6	discrete	character-5	71	0	-
165	Q.6.7	Q. 6.7	discrete	character	60	-	-
166	Q.8.1.7	Q. 8.1.7	discrete	character-3	71	0	-
167	Q.8.2.7	Q. 8.2.7	discrete	character-3	71	0	-
168	Q.9.1.7_D7	Q. 9.1.7_D7	discrete	character-3	71	0	-
169	Q.9.2.7	Q. 9.2.7	discrete	character-2	71	0	-
170	Q.9.3.7	Q. 9.3.7	discrete	character-2	71	0	-
171	Q.9.4.7	Q. 9.4.7	discrete	character-2	71	0	-
172	Q.9.5.7	Q. 9.5.7	discrete	character-2	71	0	-
173	Q.9.6.7	Q. 9.6.7	discrete	character-2	71	0	-
174	Q.9.7.7	Q. 9.7.7	discrete	character-2	71	0	-
175	Q.10.7	Q. 10.7	discrete	character-6	71	0	-
176	Q.10.1.7	Q. 10.1.7	discrete	character-2	71	0	-
177	Q.11.7	Q. 11.7	discrete	character-5	71	0	-
178	Q.12.7	Q. 12.7	discrete	character-2	71	0	-

File PSBI_CRF 2_Management_non-referrals							
#	Name	Label	Type	Format	Valid	Invalid	Question
179	Q.13.7	Q. 13.7	discrete	character-2	71	0	-
180	Q.14.7	Q. 14.7	discrete	character-2	71	0	-
181	Q.15.7	Q. 15.7	discrete	character-2	71	0	-
182	Q.16.7	Q. 16.7	discrete	character-3	71	0	-
183	Q.17.7	Q. 17.7	discrete	character-2	71	0	-
184	Q.18.7	Q. 18.7	discrete	character-2	71	0	-
185	Q.19.7	Q. 19.7	discrete	character-2	71	0	-
186	Q.20.7	Q. 20.7	discrete	character-3	71	0	-
187	Q.21.7	Q. 21.7	discrete	character-2	71	0	-
188	Q.22.7	Q. 22.7	discrete	character-2	71	0	-
189	Q.23.7	Q. 23.7	discrete	character-5	71	0	-
190	Q.24.7	Q. 24.7	discrete	character-5	71	0	-
191	Q.25.7	Q. 25.7	discrete	character-5	71	0	-
192	Q.26	Q. 26	discrete	character-2	71	0	-
193	Q.27	Q. 27	discrete	character-2	71	0	-
194	Q.28	Q. 28	discrete	character-2	71	0	-
195	Q.30.1	Q. 30.1	discrete	character-2	71	0	-
196	Q.31.1	Q. 31.1	discrete	character-2	71	0	-
197	Q.32.1	Q. 32.1	discrete	character-2	71	0	-
198	Q.33.1	Q. 33.1	discrete	character-2	71	0	-
199	Q.34.1	Q. 34.1	discrete	character-2	71	0	-
200	Q.35.1	Q. 35.1	discrete	character-4	71	0	-
201	Q.36.1	Q. 36.1	discrete	character-20	71	0	-
202	Q.30.2	Q. 30.2	discrete	character-2	71	0	-
203	Q.31.2	Q. 31.2	discrete	character-2	71	0	-
204	Q.32.2	Q. 32.2	discrete	character-2	71	0	-
205	Q.33.2	Q. 33.2	discrete	character-2	71	0	-
206	Q.34.2	Q. 34.2	discrete	character-2	71	0	-
207	Q.35.2	Q. 35.2	discrete	character-4	71	0	-
208	Q.36.2	Q. 36.2	discrete	character-20	71	0	-
209	Q.30.3	Q. 30.3	discrete	character-2	71	0	-
210	Q.31.3	Q. 31.3	discrete	character-2	71	0	-
211	Q.32.3	Q. 32.3	discrete	character-2	71	0	-
212	Q.33.3	Q. 33.3	discrete	character-2	71	0	-
213	Q.34.3	Q. 34.3	discrete	character-2	71	0	-
214	Q.35.3	Q. 35.3	discrete	character-6	71	0	-
215	Q.36.3	Q. 36.3	discrete	character-20	71	0	-
216	Q.30.4	Q. 30.4	discrete	character-2	71	0	-
217	Q.31.4	Q. 31.4	discrete	character-2	71	0	-

File PSBI_CRF 2_Management_non-referrals							
#	Name	Label	Type	Format	Valid	Invalid	Question
218	Q.32.4	Q. 32.4	discrete	character-2	71	0	-
219	Q.33.4	Q. 33.4	discrete	character-2	71	0	-
220	Q.34.4	Q. 34.4	discrete	character-2	71	0	-
221	Q.35.4	Q. 35.4	discrete	character-6	71	0	-
222	Q.36.4	Q. 36.4	discrete	character-20	71	0	-
223	Q.30.5	Q. 30.5	discrete	character-2	71	0	-
224	Q.31.5	Q. 31.5	discrete	character-2	71	0	-
225	Q.32.5	Q. 32.5	discrete	character-2	71	0	-
226	Q.33.5	Q. 33.5	discrete	character-2	71	0	-
227	Q.34.5	Q. 34.5	discrete	character-2	71	0	-
228	Q.35.5	Q. 35.5	discrete	character-6	71	0	-
229	Q.36.5	Q. 36.5	discrete	character-20	71	0	-
230	Q.30.6	Q. 30.6	discrete	character-2	71	0	-
231	Q.31.6	Q. 31.6	discrete	character-2	71	0	-
232	Q.32.6	Q. 32.6	discrete	character-2	71	0	-
233	Q.33.6	Q. 33.6	discrete	character-2	71	0	-
234	Q.34.6	Q. 34.6	discrete	character-2	71	0	-
235	Q.35.6	Q. 35.6	discrete	character-6	71	0	-
236	Q.36.6	Q. 36.6	discrete	character-20	71	0	-
237	Q.30.7	Q. 30.7	discrete	character-2	71	0	-
238	Q.31.7	Q. 31.7	discrete	character-2	71	0	-
239	Q.32.7	Q. 32.7	discrete	character-2	71	0	-
240	Q.33.7	Q. 33.7	discrete	character-2	71	0	-
241	Q.34.7	Q. 34.7	discrete	character-2	71	0	-
242	Q.35.7	Q. 35.7	discrete	character-5	71	0	-
243	Q.36.7	Q. 36.7	discrete	character-20	71	0	-
244	Q.37	Q. 37	discrete	character-2	71	0	-

Variables Description

Dataset contains 333 variable(s)

File : PSBI_CRF 1_Identification

SrNo: Sr No

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Q.1: Q.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Definition Infants ID Number: It is the unique identity number for each participant.

Q.2: Q.2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Age

Value	Label	Cases	Percentage
0		35	20.0%
1		12	6.9%
10		1	0.6%
11		2	1.1%
12		1	0.6%
13		1	0.6%
14		3	1.7%
15		3	1.7%
16		3	1.7%
17		3	1.7%
19		2	1.1%
2		2	1.1%
20		1	0.6%
21		4	2.3%
22		2	1.1%
23		5	2.9%
24		2	1.1%
26		2	1.1%
27		1	0.6%
28		1	0.6%
29		2	1.1%
3		6	3.4%
30		7	4.0%
32		2	1.1%
33		1	0.6%
34		1	0.6%
35		5	2.9%
36		4	2.3%
37		1	0.6%
38		1	0.6%
39		3	1.7%

File : PSBI_CRF 1_Identification

Q.2: Q.2

Value	Label	Cases	Percentage
4		6	3.4%
40		7	4.0%
42		4	2.3%
43		1	0.6%
44		2	1.1%
45		2	1.1%
46		4	2.3%
49		2	1.1%
5		1	0.6%
50		4	2.3%
51		1	0.6%
53		1	0.6%
54		3	1.7%
55		1	0.6%
56		2	1.1%
57		3	1.7%
58		2	1.1%
59		1	0.6%
6		6	3.4%
7		1	0.6%
8		1	0.6%
9		1	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.3: Q.3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Weight

Value	Label	Cases	Percentage
1		3	1.7%
1.1		1	0.6%
1.2		2	1.1%
1.3		6	3.4%
1.4		8	4.6%
1.5		5	2.9%
1.6		5	2.9%
1.7		3	1.7%
1.8		2	1.1%
1.9		4	2.3%
2		7	4.0%
2.1		4	2.3%
2.2		3	1.7%
2.3		2	1.1%
2.4		3	1.7%

File : PSBI_CRF 1_Identification

Q.3: Q.3

Value	Label	Cases	Percentage
2.5		10	5.7%
2.6		4	2.3%
2.7		6	3.4%
2.8		14	8.0%
2.9		4	2.3%
20		1	0.6%
3		17	9.7%
3.1		8	4.6%
3.2		10	5.7%
3.3		7	4.0%
3.4		4	2.3%
3.5		4	2.3%
3.6		3	1.7%
3.7		2	1.1%
3.8		4	2.3%
3.9		1	0.6%
4		7	4.0%
4.2		2	1.1%
4.3		1	0.6%
4.5		2	1.1%
4.7		1	0.6%
4.8		2	1.1%
4.9		1	0.6%
5		1	0.6%
5.1		1	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.4: Q.4

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Temperature: it is recorded either in centigrade(C) or fahrenheit (F)

Value	Label	Cases	Percentage
100		9	5.1%
101		4	2.3%
102		3	1.7%
34.5		1	0.6%
35		2	1.1%
35.04		1	0.6%
36		6	3.4%
36.2		2	1.1%
36.5		7	4.0%
36.6		3	1.7%
36.8		1	0.6%
37		7	4.0%

File : PSBI_CRF 1_Identification

Q.4: Q.4

Value	Label	Cases	Percentage
37.3		1	0.6%
37.4		1	0.6%
37.5		1	0.6%
37.7		1	0.6%
37.8		1	0.6%
38.2		1	0.6%
95		1	0.6%
96		5	2.9%
96.4		1	0.6%
96.5		1	0.6%
96.8		2	1.1%
97		17	9.7%
97.2		3	1.7%
97.3		1	0.6%
97.4		1	0.6%
97.5		5	2.9%
97.6		2	1.1%
97.9		1	0.6%
98		40	22.9%
98.1		1	0.6%
98.2		3	1.7%
98.4		6	3.4%
98.5		10	5.7%
98.6		1	0.6%
99		6	3.4%
99.2		1	0.6%
99.5		6	3.4%
99.6		1	0.6%
99.7		1	0.6%
99.8		2	1.1%
99.9		2	1.1%
99.99		3	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.5: Q.5

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	First visit for this illness

Value	Label	Cases	Percentage
No		2	1.1%
Yes		173	98.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : PSBI_CRF 1_Identification

Q.6: Q.6

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Assessment by:

Value	Label	Cases	Percentage
ANM		147	84.0%
ANM/MO		2	1.1%
ASHA		2	1.1%
MO		7	4.0%
MO/ANM		4	2.3%
Others		13	7.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.7: Q.7

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Place of assessment

Value	Label	Cases	Percentage
ACH		2	1.1%
CHC		5	2.9%
DH		1	0.6%
Home		77	44.0%
PHC		46	26.3%
Private		9	5.1%
RH		11	6.3%
RH/PHC		1	0.6%
SC		17	9.7%
Sasoon		2	1.1%
YCM		4	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.10: Q.10

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=173 /-]

Pre-question Assessment date

Q.12: Q.12

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for possible seious bacterila infection: Not able to feed or no breast attachmnet or not sucking at all

Value	Label	Cases	Percentage
NA		2	1.1%
No		120	68.6%
Yes		53	30.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : PSBI_CRF 1_Identification

Q.13: Q.13

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Checked for possible seious bacterila infection: Less than normal movement		
Value	Label	Cases	Percentage
No		160	91.4%
Yes		15	8.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.14: Q.14

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Checked for possible seious bacterila infection: Lethargic or unconscious		
Value	Label	Cases	Percentage
No		171	97.7%
Yes		4	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.15: Q.15

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Checked for possible seious bacterila infection: Convulsions(fits)		
Value	Label	Cases	Percentage
No		171	97.7%
Yes		4	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.16: Q.16

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Checked for possible seious bacterila infection: Fast breathing (> 60/mins)		
Value	Label	Cases	Percentage
No		48	27.4%
Yes		127	72.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.17: Q.17

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Checked for possible seious bacterila infection: Severe chest indrawing		
Value	Label	Cases	Percentage
No		160	91.4%
Yes		15	8.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : PSBI_CRF 1_Identification

Q.18: Q.18

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Checked for possible seious bacterila infection: Nasal flaring?		
Value	Label	Cases	Percentage
No		175	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.19: Q.19

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Checked for possible seious bacterila infection: Grunting?		
Value	Label	Cases	Percentage
No		170	97.1%
Yes		5	2.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.20: Q.20

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Checked for possible seious bacterila infection: More than 10 skin postules or a big boil		
Value	Label	Cases	Percentage
No		159	90.9%
Yes		16	9.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.21: Q.21

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Checked for possible seious bacterila infection: Axillary temperature > 37.5 °C OR temperature < 35.5°C		
Value	Label	Cases	Percentage
No		139	79.4%
Yes		36	20.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.22: Q.22

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Checked for possible seious bacterila infection: Blood in stool		
Value	Label	Cases	Percentage
No		175	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.23: Q.23

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		

File : PSBI_CRF 1_Identification

Q.23: Q.23

Pre-question Checked for possible seious bacterila infection: Infant classified as
(As mentioned in Annexure section of Treatment card)

Value	Label	Cases	Percentage
1	Critically ill	34	19.4%
2	Severe clinical infection	46	26.3%
3	Severe Pneumonnia	10	5.7%
4	Pneumonia	72	41.1%
4,5		13	7.4%
5	Local infection	0	
6	None of the above	0	
99	Not captured	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.24: Q.24

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Did the assessor use IMNCI recording form?

Value	Label	Cases	Percentage
No		163	93.1%
Yes		12	6.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.25: Q.25

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for PSBI OR very severe disease and local infection: Is the infant having difficulty in feeding

Value	Label	Cases	Percentage
NA		4	2.3%
No		114	65.1%
Yes		57	32.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.26: Q.26

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for PSBI OR very severe disease and local infection: Convulsions

Value	Label	Cases	Percentage
No		171	97.7%
Yes		4	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.27: Q.27

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for PSBI OR very severe disease and local infection: Breath count (RR) in one minute

File : PSBI_CRF 1_Identification

Q.27: Q.27

Value	Label	Cases	Percentage
100		1	0.6%
20		1	0.6%
24		1	0.6%
25		1	0.6%
40		3	1.7%
44		1	0.6%
45		2	1.1%
48		2	1.1%
50		12	6.9%
52		6	3.4%
53		1	0.6%
54		5	2.9%
55		1	0.6%
57		1	0.6%
58		6	3.4%
59		1	0.6%
60		26	14.9%
61		3	1.7%
62		26	14.9%
63		5	2.9%
64		25	14.3%
65		9	5.1%
66		7	4.0%
67		1	0.6%
68		6	3.4%
69		1	0.6%
70		5	2.9%
71		1	0.6%
72		3	1.7%
74		1	0.6%
80		2	1.1%
92		1	0.6%
99		8	4.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.28: Q.28

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Checked for PSBI OR very severe disease and local infection: Repeat breath count

Value	Label	Cases	Percentage
24		1	0.6%
56		1	0.6%
60		16	9.1%

File : PSBI_CRF 1_Identification

Q.28: Q.28

Value	Label	Cases	Percentage
61		4	2.3%
62		29	16.6%
63		3	1.7%
64		26	14.9%
65		2	1.1%
66		12	6.9%
68		8	4.6%
69		1	0.6%
70		6	3.4%
72		2	1.1%
73		1	0.6%
75		1	0.6%
76		1	0.6%
80		1	0.6%
82		1	0.6%
90		1	0.6%
96		1	0.6%
99		34	19.4%
NA		23	13.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.29: Q.29

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Checked for PSBI OR very severe disease and local infection: Severe chest indrawing

Value	Label	Cases	Percentage
NA		1	0.6%
No		161	92.0%
Yes		13	7.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.30: Q.30

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Checked for PSBI OR very severe disease and local infection: Nasal Flaring

Value	Label	Cases	Percentage
No		175	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.31: Q.31

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Checked for PSBI OR very severe disease and local infection: Grunting

File : PSBI_CRF 1_Identification

Q.31: Q.31

Value	Label	Cases	Percentage
No		171	97.7%
Yes		4	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.32: Q.32

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for PSBI OR very severe disease and local infection: Body temperature

Value	Label	Cases	Percentage
Fever(>37.5)		30	17.1%
Low temp. (<35.5)		6	3.4%
NA		139	79.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.33: Q.33

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for PSBI OR very severe disease and local infection: Look at Infant's movement

Value	Label	Cases	Percentage
Less than Normal		15	8.6%
Moves on own		157	89.7%
When stimulated		3	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.34: Q.34

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for PSBI OR very severe disease and local infection: Umbilicus draining pus

Value	Label	Cases	Percentage
No		170	97.1%
Yes		5	2.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.35: Q.35

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for PSBI OR very severe disease and local infection: Umbilicus is red

Value	Label	Cases	Percentage
No		172	98.3%
Yes		3	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : PSBI_CRF 1_Identification

Q.36: Q.36

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for PSBI OR very severe disease and local infection: Skin pustules

Value	Label	Cases	Percentage
NA		1	0.6%
No		159	90.9%
Yes		15	8.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.37: Q.37

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for PSBI OR very severe disease and local infection: Skin pustules

Value	Label	Cases	Percentage
<10		6	3.4%
>10		9	5.1%
NA		160	91.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.38: Q.38

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for PSBI OR very severe disease and local infection: Was infant also classified for local infection

Value	Label	Cases	Percentage
1	Only PSBI or VSD	88	50.3%
2	Only local infection	1	0.6%
2,4		16	9.1%
3	Both PSBI and LI	2	1.1%
4	Fast breathing	68	38.9%
5	PSBI or LI unlikely	0	
99	Not captured	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.39: Q.39

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for Jaundice: Did the infant assessed for jaundice?

Value	Label	Cases	Percentage
No		38	21.7%
Yes		137	78.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.40: Q.40

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

File : PSBI_CRF 1_Identification

Q.40: Q.40

Pre-question Checked for Jaundice: When did the jaundice appear first?

Value	Label	Cases	Percentage
After 24hrs of birth		10	5.7%
NA		164	93.7%
Within 24 hrs of birth		1	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.41: Q.41

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for Jaundice: Yellow skin?

Value	Label	Cases	Percentage
NA		37	21.1%
No		126	72.0%
Yes		12	6.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.42: Q.42

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for Jaundice: Were palms or soles yellow?

Value	Label	Cases	Percentage
NA		37	21.1%
No		136	77.7%
Yes		2	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.43: Q.43

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Checked for Jaundice: Was the infant classified for jaundice?

Value	Label	Cases	Percentage
1	Severe jaundice	2	1.1%
2	Jaundice	9	5.1%
3	No jaundice	126	72.0%
99	Not captured	0	
NA		38	21.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.44: Q.44

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question In case of Diarrhoea: Did the infant assessed for diarrhoea?

File : PSBI_CRF 1_Identification

Q.44: Q.44

Value	Label	Cases	Percentage
No		34	19.4%
Yes		141	80.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.45: Q.45

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question In case of Diarrhoea: Did the infant have diarrhoea?

Value	Label	Cases	Percentage
NA		34	19.4%
No		138	78.9%
Yes		3	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.46: Q.46

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question In case of Diarrhoea: Did the infant has blood in stool

Value	Label	Cases	Percentage
NA		167	95.4%
No		8	4.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.47: Q.47

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question In case of Diarrhoea: For how long ?

Value	Label	Cases	Percentage
2		1	0.6%
3		1	0.6%
4		1	0.6%
NA		172	98.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.48: Q.48

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question In case of Diarrhoea: How was the infant's movement?

Value	Label	Cases	Percentage
NA		171	97.7%
Restless or irritable		4	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : PSBI_CRF 1_Identification

Q.49: Q.49

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question In case of Diarrhoea: Were eyes sunken?

Value	Label	Cases	Percentage
NA		170	97.1%
No		3	1.7%
Yes		2	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.50: Q.50

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question In case of Diarrhoea: Pinch the skin of the abdomen. Does it go back

Value	Label	Cases	Percentage
NA		172	98.3%
Slowly		3	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.51: Q.51

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question In case of Diarrhoea: Was the infant classified for Dehydration?

Value	Label	Cases	Percentage
1	Severe dehydrataion	0	
2	Some dehydration	4	2.3%
3	No dehydration	3	1.7%
99	Not captured	0	
NA		168	96.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.52: Q.52

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=175 /-] [Invalid=0 /-]

Pre-question Did the infant assessed for feeding Prob. Or low weight?

Value	Label	Cases	Percentage
No		12	6.9%
Yes		163	93.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q.53: Q.53			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=175 /-] [Invalid=0 /-]	
Pre-question		Is the infant breastfed?	
Value	Label	Cases	Percentage
NA		12	6.9%
No		32	18.3%
Yes		131	74.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.54: Q.54			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=175 /-] [Invalid=0 /-]	
Pre-question		How many times in 24 hours the infant was breastfed?	
Value	Label	Cases	Percentage
0		16	9.1%
1		1	0.6%
10		55	31.4%
12		3	1.7%
2		5	2.9%
3		5	2.9%
4		5	2.9%
5		7	4.0%
6		1	0.6%
7		4	2.3%
8		26	14.9%
9		24	13.7%
99		8	4.6%
NA		15	8.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.55: Q.55			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=175 /-] [Invalid=0 /-]	
Pre-question		Does the infant usually receive any other foods/drinks?	
Value	Label	Cases	Percentage
NA		13	7.4%
No		138	78.9%
Yes		24	13.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.56: Q.56			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=175 /-] [Invalid=0 /-]	
Pre-question		If other food/drinks, how often (in 24 hrs)?	
Value	Label	Cases	Percentage
10		2	1.1%

Q.56: Q.56

Value	Label	Cases	Percentage
2		1	0.6%
3		1	0.6%
4		8	4.6%
5		2	1.1%
6		4	2.3%
7		2	1.1%
8		5	2.9%
99		1	0.6%
NA		149	85.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.57: Q.57

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	If yes, what do you use to feed the infant?

Value	Label	Cases	Percentage
Bottle		7	4.0%
NA		150	85.7%
Spoon		18	10.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.58: Q.58

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Determine weight for age. Is the weight low?

Value	Label	Cases	Percentage
Low		16	9.1%
NA		12	6.9%
Not low weight		113	64.6%
Very Low		34	19.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.59: Q.59

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Ulcers or white patches in mouth (thrush)?















Value	Label	Cases	Percentage
NA		13	7.4%
No		162	92.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.60: Q.60

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Was the infant classified for having feeding problem or Low weight for age?

# Q.60: Q.60			
Value	Label	Cases	Percentage
1	Very low weight	35	20.0%
2	Feeding problem OR/ and low weight	25	14.3%
3	No feeding problem	103	58.9%
99	Not captured	0	
NA		12	6.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.61: Q.61			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Assessed bresatfeeding: Was the infant assess for breastfeeding?		
Value	Label	Cases	Percentage
No		101	57.7%
Yes		74	42.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.62: Q.62			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Assessed bresatfeeding: Has the infant breastfed in the previous hour?		
Value	Label	Cases	Percentage
NA		90	51.4%
No		43	24.6%
Yes		42	24.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.63: Q.63			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Assessed bresatfeeding: If breastfed in previous hour, was feeding assessed further?		
Value	Label	Cases	Percentage
NA		123	70.3%
No		16	9.1%
Yes		36	20.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.64: Q.64			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Assessed bresatfeeding: More areola seen above top lip than below bottom lip?		
Value	Label	Cases	Percentage
NA		111	63.4%
No		40	22.9%
Yes		24	13.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.65: Q.65			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Assessed bresatfeeding: Mouth wide open		
Value	Label	Cases	Percentage
NA		111	 63.4%
No		41	 23.4%
Yes		23	 13.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.66: Q.66			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Assessed bresatfeeding: Lower lip turned outwards		
Value	Label	Cases	Percentage
NA		111	 63.4%
No		34	 19.4%
Yes		30	 17.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.67: Q.67			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Assessed bresatfeeding: Chin touching breast		
Value	Label	Cases	Percentage
NA		112	 64.0%
No		23	 13.1%
Yes		40	 22.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.68: Q.68			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Assessed bresatfeeding: How the infant was attached to breast?		
Value	Label	Cases	Percentage
Good		21	 12.0%
NA		111	 63.4%
No Attachment		18	 10.3%
Poor		25	 14.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.69: Q.69			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Assessed bresatfeeding: How the infant was suckling ?		
Value	Label	Cases	Percentage
Effectively		18	 10.3%

Q.69: Q.69

Value	Label	Cases	Percentage
NA		111	63.4%
Not Sucking at all		28	16.0%
Not effectively		18	10.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.70: Q.70

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Infant Immunization: BCG 0

Value	Label	Cases	Percentage
NA		32	18.3%
No		45	25.7%
Yes		98	56.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.71: Q.71

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Infant Immunization: Hep B0

Value	Label	Cases	Percentage
NA		21	12.0%
No		31	17.7%
Yes		123	70.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.72: Q.72

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Infant Immunization: OPV 0

Value	Label	Cases	Percentage
NA		18	10.3%
No		18	10.3%
Yes		139	79.4%











Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.73: Q.73

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Infant Immunization: Pentavalent 1

Value	Label	Cases	Percentage
NA		99	56.6%
No		63	36.0%
Yes		13	7.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q.74: Q.74			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Infant Immunization: Hep B1		
Value	Label	Cases	Percentage
NA		162	 92.6%
No		13	 7.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.75: Q.75			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Infant Immunization: OPV 1		
Value	Label	Cases	Percentage
NA		101	 57.7%
No		69	 39.4%
Yes		5	 2.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.76: Q.76			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Infant Immunization: Rotavirus 1		
Value	Label	Cases	Percentage
NA		100	 57.1%
No		69	 39.4%
Yes		6	 3.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.77: Q.77			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Infant Immunization: PCV 1		
Value	Label	Cases	Percentage
NA		106	 60.6%
No		69	 39.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.78: Q.78			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=103 /-]		
Pre-question	What was next date of immunization?		
# Q.79: Q.79			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Advised on referral to nearest HF and care during referral?		

Q.79: Q.79

Value	Label	Cases	Percentage
No		62	35.4%
Yes		113	64.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.80: Q.80

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]
Pre-question	Write the name of the facility to which referral was made (Ask health worker)

Value	Label	Cases	Percentage
ACH		1	0.6%
ACH Hospital Pune		2	1.1%
ACH Hospital Pune self went private		1	0.6%
ACH Pune		24	13.7%
ACH Pune - Private		1	0.6%
ACH Pune Self Dr Ingavale		1	0.6%
ACH Pune-Self went to private		1	0.6%
Aundh Civil Hospital		19	10.9%
Aundh Civil Hospital/Dr Dumbare		1	0.6%
Dehane PHC Self went to private		1	0.6%
Delivered in YCM Reffer In NICU		1	0.6%
Dr Dongare ACH Pune		1	0.6%
Dr Ingavale Self		1	0.6%
Dr chikhalikar (peadi)		1	0.6%
Ingalun PHC - Self went to private Dr Gulve		1	0.6%
Junnar RH Vignhar Hospital		1	0.6%
NA		63	36.0%
PHC Inclin		1	0.6%
Parents self went to private dr Dumbare		1	0.6%
Private Dr Ingavale Self		1	0.6%
Private Hospital		2	1.1%

Q.80: Q.80

Value	Label	Cases	Percentage
Private Hospital Ghumatkar		1	0.6%
Private Hospital Junnar RH		1	0.6%
Private Hospital +RH Junnar +ACH		1	0.6%
Private hospital Junnar (Self)		1	0.6%
RH Ghodegaon Self went to dr dongare		2	1.1%
RH Junnar-Self went to private		3	1.7%
RH Junner - self went to Dr kedari.		1	0.6%
RH ghodegaon-self went to private		1	0.6%
RH junnar - self went to private (Dr Ingavle)		2	1.1%
RH/ACH Pune		1	0.6%
Rh Chandoli		1	0.6%
SC/Self went to private (momin)		1	0.6%
SDH Manchar - Dr Dongare		1	0.6%
SDH Manchar - Private Dongare		1	0.6%
Sasoon Pune		3	1.7%
Self Went to private		1	0.6%
Self went to Dr Mancharkar		1	0.6%
Self went to Dr tambe (private day 2nd)		1	0.6%
Self went to Private		4	2.3%
Self went to private (Dr Bagul)		1	0.6%
Self went to private (Dr Dolas)		1	0.6%
Self went to private (Dr Dongare)		1	0.6%
Self went to private (Dr Inamdar)		1	0.6%

# Q.80: Q.80			
Value	Label	Cases	Percentage
Self went to private Dr Hundare		1	0.6%
Self went to private Dr gagul		1	0.6%
Self went to private hospital		1	0.6%
YCM Hospital Pune		3	1.7%
YCM Pune		7	4.0%
YCM Pune Self went to private		1	0.6%
YCM/SGH/Dhaund Pune		1	0.6%
self went to private (Dr Gulave)		1	0.6%
self went to private (Dr Ingavle)		1	0.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.81: Q.81			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Pre-referral dose of antibiotics given		
Value	Label	Cases	Percentage
NA		68	38.9%
No		92	52.6%
Yes		15	8.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.82: Q.82			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	If no pre-referral dose given, ask for the reason (ASK health worker)		
Value	Label	Cases	Percentage
1	Dose not available	10	5.7%
2	Syringe not available	0	
3	Not confident to give the dose	6	3.4%
4	Refused	5	2.9%
88	Other	74	42.3%
NA		80	45.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.83: Q.83			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		

Q.83: Q.83

Pre-question		If pre-referral dose refused / other, what was the reason? (ASK health worker)	
Value	Label	Cases	Percentage
Allready on Medicine		1	0.6%
Already on Treatment		6	3.4%
As per adviced by private doctor,refused by parents		1	0.6%
Babies parents self went to private not informing to Anm		1	0.6%
Baby Self went to private		1	0.6%
Baby delivered in SDH Manchar		1	0.6%
Baby directly went from home to Dr kedari Hospital		1	0.6%
Baby was not in SC area		1	0.6%
Baby was out of area (assesment done at Ghodegaon		1	0.6%
Delivered in RH		1	0.6%
Delivered in Sasoon		1	0.6%
Delivery In RH		1	0.6%
Delivery In SDH Manchar		1	0.6%
Delivery in RH		9	5.1%
Delivery in RH Not aplicable VLW		1	0.6%
Delivery in YCM		2	1.1%
Delivery inSasoon with very low weight		1	0.6%
Delivery inYCM hospital		1	0.6%
Emergancy baby delevered In RH		1	0.6%
Emergency		4	2.3%
Emergency Fever		1	0.6%
Fever		1	0.6%
Fever and Delivery in RH		1	0.6%

# Q.83: Q.83			
Value	Label	Cases	Percentage
High Grade Fever		1	0.6%
Jaundice		1	0.6%
Low Body Mass,Very Low Weight		6	3.4%
Low body mass		1	0.6%
NA		85	48.6%
Na		11	6.3%
Not want to wait.		1	0.6%
Parent Directly self went to private then informed anm		1	0.6%
Parents going to private Dr Ingavale		1	0.6%
Parents refuced		2	1.1%
Parents wants to took treatment in family physician doctor.		1	0.6%
Reffered From Home		1	0.6%
Refused by parents. They wants to given treatment in family doctor at private.		1	0.6%
Self went to private hospital		3	1.7%
They directly self went to private and treatment		1	0.6%
They want to took treatment from family physician		3	1.7%
Very low weight		13	7.4%
delivery in private		1	0.6%
dr not oriented for pre refferal dose		1	0.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.84: Q.84			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Informed young infant's condition to MO/SN		

# Q.84: Q.84			
Value	Label	Cases	Percentage
NA		68	38.9%
Yes		107	61.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.85: Q.85			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Patient refused referral		
Value	Label	Cases	Percentage
NA		68	38.9%
No		98	56.0%
Yes		9	5.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.86: Q.86			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	If refused, what was the reason (ASK health worker)		
Value	Label	Cases	Percentage
1	Hospital is too far	4	2.3%
1and 88		1	0.6%
2	Lack of time if hospitalized	1	0.6%
3	Cannot afford transport	0	
4	cannot afford hospitalization	0	
5	Undecided	0	
88	Other	3	1.7%
NA		166	94.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.87: Q.87			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	If other , please elaborate the reason (ASK health worker)		
Value	Label	Cases	Percentage
Family problem		2	1.1%
NA		171	97.7%
no man Power		2	1.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.88: Q.88			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Did health-worker offered the infant 7 days Outpatient simple treatment? (ASK health worker)		

# Q.88: Q.88			
Value	Label	Cases	Percentage
NA		166	94.9%
Yes		9	5.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.89: Q.89			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	If no, what was the reason (ASK health worker)		
Value	Label	Cases	Percentage
NA		175	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.90: Q.90			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	Did the family accept the treatment (ASK health worker)		
Value	Label	Cases	Percentage
NA		166	94.9%
Yes		9	5.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.91: Q.91			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=0 /-]		
Pre-question	If no, what was the reason? (ASK health worker)		
Value	Label	Cases	Percentage
NA		175	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

File : PSBI_CRF 2_Management_non-referrals

SrNo: Sr No

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Q.5: Q. 5

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Definition Infant ID: It is the unique identity number for each participant.

Q.6.1: Q. 6.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-]

Pre-question Date of follow-up visit_Day1

Q.8.1.2: Q. 8.1.2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Follow-up carried out at_home_Day1

Value	Label	Cases	Percentage
NA		9	12.7%
No		11	15.5%
Yes		51	71.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.9.1.1: Q. 9.1.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Definition Visit status_infant assessed during visit_Day1

Pre-question Visit status_infant assessed during visit_Day1

Value	Label	Cases	Percentage
Yes		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.9.1.2: Q. 9.1.2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Visit status_infant temporarily away from home_Day1

Q.9.1.3: Q. 9.1.3

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Visit status_nobody at home_Day1

Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : PSBI_CRF 2_Management_non-referrals

Q.9.1.4: Q. 9.1.4

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Visit status_refused to be assessed_Day1

Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.9.1.5: Q. 9.1.5

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Visit status_infant died_Day1

Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.9.1.6: Q. 9.1.6

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Visit status_infant is hospitaized_Day1

Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.9.1.7: Q. 9.1.7

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Visit status_other_Day1

Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.10.1: Q. 10.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Adult primary respondent_Day1

Value	Label	Cases	Percentage
Mother		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.10.1.1: Q. 10.1.1

Information [Type= discrete] [Format=character] [Missing=*]

File : PSBI_CRF 2_Management_non-referrals

Q.10.1.1: Q. 10.1.1

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Adult primary respondent_if other_Day1

Value	Label	Cases	Percentage
ANM		1	1.4%
NA		70	98.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.8.1.1: Q. 8.1.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Follow-up carried out at_health facility_Day1

Value	Label	Cases	Percentage
NA		50	70.4%
PHC		16	22.5%
SC		5	7.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.11.1: Q. 11.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question How is the infant today_Day1

Value	Label	Cases	Percentage
Same		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.12.1: Q. 12.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Not able to feed or No breast attachment or not suckling at_all_Day1

Value	Label	Cases	Percentage
No		66	93.0%
Yes		5	7.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.13.1: Q. 13.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Less than normal movement_Day1

Value	Label	Cases	Percentage
No		69	97.2%
Yes		2	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.14.1: Q. 14.1

Information [Type= discrete] [Format=character] [Missing=*]

File : PSBI_CRF 2_Management_non-referrals

Q.14.1: Q. 14.1

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Lethargic or unconscious_Day1

Value	Label	Cases	Percentage
No		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.15.1: Q. 15.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Convulsions (fits)_Day1

Value	Label	Cases	Percentage
No		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.16.1: Q. 16.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Fast breathing (> 60/mins)_Day1

Value	Label	Cases	Percentage
No		3	4.2%
Yes		68	95.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.17.1: Q. 17.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Severe chest indrawing_Day1

Value	Label	Cases	Percentage
No		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.18.1: Q. 18.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Nasal Flaring_Day1

Value	Label	Cases	Percentage
No		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.19.1: Q. 19.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Grunting _Day1

Value	Label	Cases	Percentage
No		71	100.0%

File : PSBI_CRF 2_Management_non-referrals

Q.19.1: Q. 19.1

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.20.1: Q. 20.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question More than 10 skin pustules or a big boil_Day1

Value	Label	Cases	Percentage
No		52	73.2%
Yes		19	26.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.21.1: Q. 21.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Axillary temperature > 37.5 °C OR temperature < 35.5°C_Day1

Value	Label	Cases	Percentage
No		66	93.0%
Yes		5	7.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.22.1: Q. 22.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Blood in stool_Day1

Value	Label	Cases	Percentage
No		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.23.1: Q. 23.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Antibiotic treatment given_Gentamicin_Day1

Value	Label	Cases	Percentage
Given		7	9.9%
NA		62	87.3%
Not Given		2	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.24.1: Q. 24.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Antibiotic tratment given_Ampicillin morning dose_Day1

Value	Label	Cases	Percentage
Given		69	97.2%
Not Given		2	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : PSBI_CRF 2_Management_non-referrals

Q.25.1: Q. 25.1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Antibiotic treatment given_Ampicillin evening dose_Day1

Value	Label	Cases	Percentage
Given		70	98.6%
Not Given		1	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.6.2: Q. 6.2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-]

Pre-question Date of follow-up visit_Day2

Q.8.1.2_D2: Q. 8.1.2_D2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Follow-up carried out at_health facility_Day2

Value	Label	Cases	Percentage
NA		63	88.7%
PHC		8	11.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.8.2.2: Q. 8.2.2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Follow-up carried out at_home_Day2

Value	Label	Cases	Percentage
NA		8	11.3%
Yes		63	88.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.9.1.2_D2: Q. 9.1.2_D2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Visit status_infant assessed during visit_Day2

Value	Label	Cases	Percentage
Yes		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.9.2.2: Q. 9.2.2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

Pre-question Visit status_infant temporarily away from home_Day2

Value	Label	Cases	Percentage
NA		9	12.7%

File : PSBI_CRF 2_Management _non-referrals

Q.9.2.2: Q. 9.2.2

Value	Label	Cases	Percentage
No		62	87.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.9.3.2: Q. 9.3.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Visit status_nobody at home_Day2

Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.9.4.2: Q. 9.4.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Visit status_refused to be assessed_Day2

Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.9.5.2: Q. 9.5.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Visit status_infant died_Day2

Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.9.6.2: Q. 9.6.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Visit status_Infant is hospitalized_Day2

Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.9.7.2: Q. 9.7.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Visit status_other_Day2

File : PSBI_CRF 2_Management _non-referrals

Q.9.7.2: Q. 9.7.2

Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.10.2: Q. 10.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Adult primary respondent_Day2

Value	Label	Cases	Percentage
Mother		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.10.2.2: Q. 10.2.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Adult primary respondent_if other_Day2

Value	Label	Cases	Percentage
ANM		1	1.4%
NA		70	98.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.11.2: Q. 11.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	How is the infant today_Day2

Value	Label	Cases	Percentage
Better		4	5.6%
Same		67	94.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.12.2: Q. 12.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Not able to feed or No breast attachment or not suckling at all_Day2

Value	Label	Cases	Percentage
No		67	94.4%
Yes		4	5.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.13.2: Q. 13.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Less than normal movement_Day2

File : PSBI_CRF 2_Management_non-referrals

Q.13.2: Q. 13.2

Value	Label	Cases	Percentage
No		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.14.2: Q. 14.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Lethargic or unconscious_Day2

Value	Label	Cases	Percentage
No		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.15.2: Q. 15.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Convulsions (fits)_Day2

Value	Label	Cases	Percentage
No		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.16.2: Q. 16.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Fast breathing (> 60/mins)_Day2

Value	Label	Cases	Percentage
No		4	5.6%
Yes		67	94.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.17.2: Q. 17.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Severe chest indrawing_Day2

Value	Label	Cases	Percentage
No		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.18.2: Q. 18.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Nasal Flaring_Day2

Value	Label	Cases	Percentage
No		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : PSBI_CRF 2_Management _non-referrals

Q.19.2: Q. 19.2

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Grunting_Day2

Value	Label	Cases	Percentage
No		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q.20.2: Q. 20.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	More than 10 skin pustules or a big boil_Day2		
Value	Label	Cases	Percentage
No		53	74.6%
Yes		18	25.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.21.2: Q. 21.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Axillary temperature > 37.5 °C OR temperature < 35.5°C_Day2		
Value	Label	Cases	Percentage
No		68	95.8%
Yes		3	4.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.22.2: Q. 22.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Blood in stool_Day2		
Value	Label	Cases	Percentage
No		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.23.2: Q. 23.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Antibiotic treatment given_Gentamicin_Day2		
Value	Label	Cases	Percentage
Given		7	9.9%
NA		62	87.3%
Not Given		2	2.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.24.2: Q. 24.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Antibiotic treatment given_Ampicilin morning dose_Day2		
Value	Label	Cases	Percentage
Given		70	98.6%
Not Given		1	1.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.25.2: Q. 25.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		

# Q.25.2: Q. 25.2			
Pre-question	Antibiotic treatment given_Ampicillin evening dose_Day2		
Value	Label	Cases	Percentage
Given		69	97.2%
Not Given		1	1.4%
Partially		1	1.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.6.3: Q. 6.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70 /-]		
Pre-question	Date of follow-up visit_Day3		
# Q.8.1.3: Q. 8.1.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Follow-up carried out at_health facility_Day3		
Value	Label	Cases	Percentage
NA		64	90.1%
PHC		7	9.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.8.2.3: Q. 8.2.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Follow-up carried out at_home_Day3		
Value	Label	Cases	Percentage
NA		44	62.0%
Yes		27	38.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.1.3_D3: Q. 9.1.3_D3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant assessed during visit_Day3		
Value	Label	Cases	Percentage
NA		1	1.4%
Yes		70	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.2.3: Q. 9.2.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_Infant temporarily away from home_Day3		
Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.9.3.3: Q. 9.3.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_nobody at home_Day3		
Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.4.3: Q. 9.4.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_refused to be assessed_Day3		
Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.5.3: Q. 9.5.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant died_Day3		
Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.6.3: Q. 9.6.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant is hospitalized_Day3		
Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.7.3: Q. 9.7.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_other_Day3		
Value	Label	Cases	Percentage
NA		9	12.7%
No		62	87.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.10.3: Q. 10.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		

# Q.10.3: Q. 10.3			
Pre-question	Adult primary respondent_Day3		
Value	Label	Cases	Percentage
Mother		70	98.6%
NA		1	1.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.10.1.3: Q. 10.1.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adult primary respondent_if other_Day3		
Value	Label	Cases	Percentage
ANM		1	1.4%
NA		70	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.11.3: Q. 11.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	How is the infant today_Day3		
Value	Label	Cases	Percentage
Better		67	94.4%
NA		1	1.4%
Same		3	4.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.12.3: Q. 12.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Not able to feed or No breast attachment or not suckling at all_Day3		
Value	Label	Cases	Percentage
NA		1	1.4%
No		68	95.8%
Yes		2	2.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.13.3: Q. 13.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Less than normal movement_Day3		
Value	Label	Cases	Percentage
NA		1	1.4%
No		70	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.14.3: Q. 14.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		

# Q.14.3: Q. 14.3			
Pre-question	Lethargic or unconscious_Day3		
Value	Label	Cases	Percentage
NA		1	1.4%
No		70	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.15.3: Q. 15.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Convulsions (fits)_Day3		
Value	Label	Cases	Percentage
NA		1	1.4%
No		70	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.16.3: Q. 16.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Fast breathing (> 60/mins)_Days3		
Value	Label	Cases	Percentage
NA		1	1.4%
No		43	60.6%
Yes		27	38.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.17.3: Q. 17.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Severe chest indrawing_Day3		
Value	Label	Cases	Percentage
NA		1	1.4%
No		70	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.18.3: Q. 18.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Nasal Flaring_Day3		
Value	Label	Cases	Percentage
NA		1	1.4%
No		70	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.19.3: Q. 19.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Grunting _Day3		

Q.19.3: Q. 19.3

Value	Label	Cases	Percentage
NA		1	1.4%
No		70	98.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.20.3: Q. 20.3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	More than 10 skin pustules or a big boil_Day3

Value	Label	Cases	Percentage
NA		1	1.4%
No		62	87.3%
Yes		8	11.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.21.3: Q. 21.3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Axillary temperature > 37.5 °C OR temperature < 35.5°C_Day3

Value	Label	Cases	Percentage
NA		1	1.4%
No		70	98.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.22.3: Q. 22.3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Blood in stool_Day3

Value	Label	Cases	Percentage
NA		1	1.4%
No		70	98.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.23.3: Q. 23.3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Antibiotic treatment given_Gentamicin_Day3











Value	Label	Cases	Percentage
Given		7	9.9%
NA		63	88.7%
Not Given		1	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.24.3: Q. 24.3

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Antibiotic treatment given_Ampicilin morning dose_Day3

# Q.24.3: Q. 24.3			
Value	Label	Cases	Percentage
Given		69	97.2%
NA		1	1.4%
Not Given		1	1.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.25.3: Q. 25.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Antibiotic treatment given_Ampicillin evening dose_Day3		
Value	Label	Cases	Percentage
Given		69	97.2%
NA		1	1.4%
Not Given		1	1.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.6.4: Q. 6.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-]		
Pre-question	Date of follow-up visit_Day4		
# Q.8.1.4: Q. 8.1.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Follow-up carried out at_Home_Day4		
Value	Label	Cases	Percentage
NA		66	93.0%
PHC		5	7.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.8.2.4: Q. 8.2.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Follow-up carried out at_health facility_Day4		
Value	Label	Cases	Percentage
NA		9	12.7%
Yes		62	87.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.1.4_D4: Q. 9.1.4_D4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant assessed during visit_Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
Yes		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.9.2.4: Q. 9.2.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant temporarily away from home_Day4		
Value	Label	Cases	Percentage
NA		10	 14.1%
No		61	 85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.3.4: Q. 9.3.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_nobody at home_Day4		
Value	Label	Cases	Percentage
NA		10	 14.1%
No		61	 85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.4.4: Q. 9.4.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_refused to be assessed_Day4		
Value	Label	Cases	Percentage
NA		10	 14.1%
No		61	 85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.5.4: Q. 9.5.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant died_Day5		
Value	Label	Cases	Percentage
NA		10	 14.1%
No		61	 85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.6.4: Q. 9.6.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant is hospitaized_Day4		
Value	Label	Cases	Percentage
NA		10	 14.1%
No		61	 85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.7.4: Q. 9.7.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		

# Q.9.7.4: Q. 9.7.4			
Pre-question	Visit status_other_Day4		
Value	Label	Cases	Percentage
NA		10	14.1%
No		61	85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.10.4: Q. 10.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adult primary respondent_Day4		
Value	Label	Cases	Percentage
Mother		67	94.4%
NA		4	5.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.10.1.4: Q. 10.1.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adult primary respondent_if other_Day4		
Value	Label	Cases	Percentage
NA		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.11.4: Q. 11.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	How is the infant today_Day4		
Value	Label	Cases	Percentage
Better		67	94.4%
NA		4	5.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.12.4: Q. 12.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Not able to feed or No breast attachment or not suckling at all_Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.13.4: Q. 13.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Less than normal movement_Day4		

Q.13.4: Q. 13.4

Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.14.4: Q. 14.4

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Lethargic or unconscious_Day4

Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.15.4: Q. 15.4

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Convulsions (fits)_Day4

Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q.16.4: Q. 16.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Fast breathing (> 60/mins)_Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
No		54	76.1%
Yes		13	18.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.17.4: Q. 17.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Severe chest indrawing_Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.18.4: Q. 18.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Nasal Flaring_Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.19.4: Q. 19.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Grunting _Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.20.4: Q. 20.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	More than 10 skin pustules or a big boil_Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
No		61	85.9%
Yes		6	8.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.21.4: Q. 21.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Axillary temperature > 37.5 °C OR temperature < 35.5°C_Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.22.4: Q. 22.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Blood in stool_Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.23.4: Q. 23.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Antibiotic treatment given_Gentamicin_Day4		
Value	Label	Cases	Percentage
Given		6	8.5%
NA		65	91.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.24.4: Q. 24.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Antibiotic treatment given_Ampicillin morning dose_Day4		
Value	Label	Cases	Percentage
Given		67	94.4%
NA		4	5.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.25.4: Q. 25.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Antibiotic treatment given_Ampicillin evening dose_Day4		
Value	Label	Cases	Percentage
Given		67	94.4%
NA		4	5.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.6.5: Q. 6.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-]		

# Q.6.5: Q. 6.5			
Pre-question		Date of follow-up visit_Day5	
# Q.8.1.5: Q. 8.1.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Follow-up carried out at_home_Day5	
Value	Label	Cases	Percentage
NA		66	93.0%
PHC		5	7.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.8.2.5: Q. 8.2.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Follow- up carried out at_health facility_Day5	
Value	Label	Cases	Percentage
NA		9	12.7%
Yes		62	87.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.1.5_D5: Q. 9.1.5_D5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Visit status_infant assessed during visit_Day5	
Value	Label	Cases	Percentage
NA		4	5.6%
Yes		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.2.5: Q. 9.2.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Visit status_infant temporarily away from home_Day5	
Value	Label	Cases	Percentage
NA		10	14.1%
No		61	85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.3.5: Q. 9.3.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Visit status_nobody at home_Day5	
Value	Label	Cases	Percentage
NA		10	14.1%
No		61	85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.9.4.5: Q. 9.4.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_refused to be assessed_Day5		
Value	Label	Cases	Percentage
NA		10	14.1%
No		61	85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.5.5: Q. 9.5.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant died_Day5		
Value	Label	Cases	Percentage
NA		10	14.1%
No		61	85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.6.5: Q. 9.6.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant is hospitalized_Day5		
Value	Label	Cases	Percentage
NA		10	14.1%
No		61	85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.7.5: Q. 9.7.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_other_Day7		
Value	Label	Cases	Percentage
NA		10	14.1%
No		61	85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.10.5: Q. 10.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adult primary respondent_Day5		
Value	Label	Cases	Percentage
Mother		66	93.0%
NA		5	7.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.10.1.5: Q. 10.1.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		

# Q.10.1.5: Q. 10.1.5			
Pre-question		Adult primary respondent_if other_Day5	
Value	Label	Cases	Percentage
NA		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.11.5: Q. 11.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		How is the infant today_Day5	
Value	Label	Cases	Percentage
Better		59	83.1%
Cured		8	11.3%
NA		4	5.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.12.5: Q. 12.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Not able to feed or No breast attachment or not suckling at all_Day5	
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.13.5: Q. 13.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Less than normal movement_Day5	
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.14.5: Q. 14.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Lethargic or unconscious_Day5	
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.15.5: Q. 15.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Convulsions (fits)_Day5	

Q.15.5: Q. 15.5

Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.16.5: Q. 16.5

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Fast breathing (> 60/mins)_Day5

Value	Label	Cases	Percentage
NA		4	5.6%
No		63	88.7%
Yes		4	5.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.17.5: Q. 17.5

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Severe chest indrawing_Day5

Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.18.5: Q. 18.5

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Nasal Flaring_Day5

Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.19.5: Q. 19.5

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Grunting_Day5

Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.20.5: Q. 20.5

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	More than 10 skin pustules or a big boil_Day5

# Q.20.5: Q. 20.5			
Value	Label	Cases	Percentage
NA		4	5.6%
No		63	88.7%
Yes		4	5.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.21.5: Q. 21.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Axillary temperature > 37.5 °C OR temperature < 35.5°C_Day5		
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.22.5: Q. 22.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Blood in stool_Day5		
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.23.5: Q. 23.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Antibiotic treatment given_Gentamicin_Day5		
Value	Label	Cases	Percentage
Given		6	8.5%
NA		65	91.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.24.5: Q. 24.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Antibiotic treatment given_Ampicilin morning dose_Day5		
Value	Label	Cases	Percentage
Given		67	94.4%
NA		4	5.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.25.5: Q. 25.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Antibiotic treatment given_Ampicillin evening dose_Day5		

# Q.25.5: Q. 25.5			
Value	Label	Cases	Percentage
Given		67	94.4%
NA		4	5.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.6.6: Q. 6.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=60 /-]		
Pre-question	Date of follow-up visit_Day6		
# Q.8.1.6: Q. 8.1.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Follow-up carried out at_home_Day6		
Value	Label	Cases	Percentage
NA		67	94.4%
PHC		3	4.2%
SC		1	1.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.8.2.6: Q. 8.2.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Follow-up carried out at_health faoility_Day6		
Value	Label	Cases	Percentage
NA		15	21.1%
Yes		56	78.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.1.6_D6: Q. 9.1.6_D6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant assessed during visit_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
Yes		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.2.6: Q. 9.2.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant temporarily away from home_Day6		
Value	Label	Cases	Percentage
NA		16	22.5%
No		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.9.3.6: Q. 9.3.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_nobody at home_Day6		
Value	Label	Cases	Percentage
NA		16	22.5%
No		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.4.6: Q. 9.4.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_refused to be assessed_Day6		
Value	Label	Cases	Percentage
NA		16	22.5%
No		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.5.6: Q. 9.5.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant died_Day6		
Value	Label	Cases	Percentage
NA		16	22.5%
No		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.6.6: Q. 9.6.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant is hospitalized_Day6		
Value	Label	Cases	Percentage
NA		16	22.5%
No		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.7.6: Q. 9.7.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_other_Day6		
Value	Label	Cases	Percentage
NA		16	22.5%
No		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.10.6: Q. 10.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		

# Q.10.6: Q. 10.6			
Pre-question		Adult primary respondent_Day6	
Value	Label	Cases	Percentage
Mother		59	83.1%
NA		12	16.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.10.1.6: Q. 10.1.6			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Adult primary respondent_if other_Day6	
Value	Label	Cases	Percentage
NA		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.11.6: Q. 11.6			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		ow is the infant today_Day6	
Value	Label	Cases	Percentage
Better		56	78.9%
Cured		4	5.6%
NA		11	15.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.12.6: Q. 12.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Not able to feed or No breast attachment or not suckling at all_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.13.6: Q. 13.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Less than normal movement_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.14.6: Q. 14.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Lethargic or unconscious_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.15.6: Q. 15.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Convulsions (fits)_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.16.6: Q. 16.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Fast breathing (> 60/min)_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		55	77.5%
Yes		5	7.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.17.6: Q. 17.6			
Information	[Type= discrete] [Format=character] [Missing=*]		

# Q.17.6: Q. 17.6			
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Severe chest indrawing_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.18.6: Q. 18.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Nasal Flaring_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.19.6: Q. 19.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Grunting_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.20.6: Q. 20.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	More than 10 skin pustules or a big boil_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		56	78.9%
Yes		4	5.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.21.6: Q. 21.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Axillary temperature > 37.5 °C OR temperature < 35.5°C_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.22.6: Q. 22.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		

# Q.22.6: Q. 22.6			
Pre-question		Blood in stool_Day6	
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.23.6: Q. 23.6			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Antibiotic treatment given_Gentamicin_Day6	
Value	Label	Cases	Percentage
Given		5	7.0%
NA		66	93.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.24.6: Q. 24.6			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Antibiotic treatment given_Ampicillin morning dose_Day6	
Value	Label	Cases	Percentage
Given		60	84.5%
NA		11	15.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.25.6: Q. 25.6			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Antibiotic treatment given_Ampicillin evening dose_Day6	
Value	Label	Cases	Percentage
Given		60	84.5%
NA		11	15.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.6.7: Q. 6.7			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=60 /-]	
Pre-question		Date of follow-up visit_Day7	
# Q.8.1.7: Q. 8.1.7			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Follow-up carried out at_home_Day7	
Value	Label	Cases	Percentage
NA		67	94.4%
PHC		3	4.2%
SC		1	1.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.8.2.7: Q. 8.2.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Follow-up carried out at_health facility_Day7		
Value	Label	Cases	Percentage
NA		15	21.1%
Yes		56	78.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.1.7_D7: Q. 9.1.7_D7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant assessed during visit_Day7		
Value	Label	Cases	Percentage
NA		11	15.5%
Yes		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.2.7: Q. 9.2.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant temporarily away from home_Day7		
Value	Label	Cases	Percentage
NA		16	22.5%
No		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.3.7: Q. 9.3.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_nobody at home_Day7		
Value	Label	Cases	Percentage
NA		16	22.5%
No		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.4.7: Q. 9.4.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_refused to be assessed_Day7		
Value	Label	Cases	Percentage
NA		16	22.5%
No		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.5.7: Q. 9.5.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		

# Q.9.5.7: Q. 9.5.7			
Pre-question	Visit status_infant died_Day7		
Value	Label	Cases	Percentage
NA		16	22.5%
No		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.6.7: Q. 9.6.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Visit status_infant is hospitalized_Day7		
Value	Label	Cases	Percentage
NA		16	22.5%
No		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.9.7.7: Q. 9.7.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Viist status_other_Day7		
Value	Label	Cases	Percentage
NA		16	22.5%
No		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.10.7: Q. 10.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adult primary respondent_Day7		
Value	Label	Cases	Percentage
Mother		59	83.1%
NA		12	16.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.10.1.7: Q. 10.1.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adult primary respondent_if other_Day7		
Value	Label	Cases	Percentage
NA		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.11.7: Q. 11.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	How is the infant today_Day7		

# Q.11.7: Q. 11.7			
Value	Label	Cases	Percentage
Cured		60	84.5%
NA		11	15.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.12.7: Q. 12.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Not able to feed or No breast attachment or not suckling at all_Day7		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.13.7: Q. 13.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Less than normal movement_Day7		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.14.7: Q. 14.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Lethargic or unconscious_Day7		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.15.7: Q. 15.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Convulsions (fits)_Day7		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.16.7: Q. 16.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Fast breathing (> 60/min)_Day7		
Value	Label	Cases	Percentage
NA		11	15.5%

Q.16.7: Q. 16.7

Value	Label	Cases	Percentage
No		55	77.5%
Yes		5	7.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.17.7: Q. 17.7

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Severe chest indrawing_Day7

Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.18.7: Q. 18.7

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Nasal Flaring_Day7

Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.19.7: Q. 19.7

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Grunting_Day7

Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.20.7: Q. 20.7

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	More than 10 skin pustules or a big boil_Day7

Value	Label	Cases	Percentage
NA		11	15.5%
No		56	78.9%
Yes		4	5.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.21.7: Q. 21.7

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Axillary temperature > 37.5 °C OR temperature < 35.5°C_Day7

Q.21.7: Q. 21.7

Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.22.7: Q. 22.7

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Blood in stool_Day7

Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.23.7: Q. 23.7

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Antibiotic treatment given_Gentamicin_Day7

Value	Label	Cases	Percentage
Given		5	7.0%
NA		66	93.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.24.7: Q. 24.7

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Antibiotic treatment given_Ampicillin morning dose_Day7

Value	Label	Cases	Percentage
Given		60	84.5%
NA		11	15.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.25.7: Q. 25.7

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Antibiotic treatment given_Ampicillin evening dose_Day7

Value	Label	Cases	Percentage
Given		60	84.5%
NA		11	15.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q.26: Q. 26

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]
Pre-question	Antibiotic treatment given_Gentamicin dose/days

Value	Label	Cases	Percentage
0		63	88.7%

# Q.26: Q. 26			
Value	Label	Cases	Percentage
3		1	1.4%
5		1	1.4%
7		5	7.0%
NA		1	1.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.27: Q. 27			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Antibiotic treatment given_Amoxicillin_days		
Value	Label	Cases	Percentage
1		1	1.4%
3		2	2.8%
5		7	9.9%
7		60	84.5%
NA		1	1.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.28: Q. 28			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Antibiotic treatment given_Amoxicilin_doses		
Value	Label	Cases	Percentage
10		7	9.9%
14		60	84.5%
2		1	1.4%
6		2	2.8%
Na		1	1.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.30.1: Q. 30.1			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_diarrhea_Day1		
Value	Label	Cases	Percentage
No		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.31.1: Q. 31.1			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_reduced urine output_Day1		
Value	Label	Cases	Percentage
No		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.32.1: Q. 32.1			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_injection site infection_Day1		
Value	Label	Cases	Percentage
No		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.33.1: Q. 33.1			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_injection site abscess_Day1		
Value	Label	Cases	Percentage
No		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.34.1: Q. 34.1			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_any other_Day1		
Value	Label	Cases	Percentage
No		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.35.1: Q. 35.1			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_if other_Day1		
Value	Label	Cases	Percentage
Same		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.36.1: Q. 36.1			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	What is infants' condition since previous assessment_Day1		
Value	Label	Cases	Percentage
Treatment continuing		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.30.2: Q. 30.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_diarrhea_Day2		
Value	Label	Cases	Percentage
No		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.31.2: Q. 31.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_reduced urine output_Day2		
Value	Label	Cases	Percentage
No		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.32.2: Q. 32.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_injection site infection_Day2		
Value	Label	Cases	Percentage
No		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.33.2: Q. 33.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_injection site abscess_Day2		
Value	Label	Cases	Percentage
No		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.34.2: Q. 34.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_any other_Day2		
Value	Label	Cases	Percentage
NA		2	2.8%

# Q.34.2: Q. 34.2			
Value	Label	Cases	Percentage
No		69	97.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.35.2: Q. 35.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_if other_Day2		
Value	Label	Cases	Percentage
Same		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.36.2: Q. 36.2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	What is infants' condition since previous assessment_Day2		
Value	Label	Cases	Percentage
Treatment continuing		71	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.30.3: Q. 30.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_diarrhea_Day3		
Value	Label	Cases	Percentage
NA		1	1.4%
No		70	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.31.3: Q. 31.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_reduced urine output_Day3		
Value	Label	Cases	Percentage
NA		1	1.4%
No		70	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.32.3: Q. 32.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_injection site infection_Day3		
Value	Label	Cases	Percentage
NA		1	1.4%
No		70	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.33.3: Q. 33.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_injection site abscess_Day3		
Value	Label	Cases	Percentage
NA		1	1.4%
No		70	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.34.3: Q. 34.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_any other_Day3		
Value	Label	Cases	Percentage
NA		2	2.8%
No		69	97.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.35.3: Q. 35.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_if other_Day3		
Value	Label	Cases	Percentage
Better		7	9.9%
Cured		1	1.4%
NA		1	1.4%
Same		62	87.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.36.3: Q. 36.3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	What is infants' condition since previous assessment_Day3		
Value	Label	Cases	Percentage
Cured		1	1.4%
Patient left		2	2.8%
Treatment continuing		68	95.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.30.4: Q. 30.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_diarrhea_Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.31.4: Q. 31.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_reduced urine output_Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.32.4: Q. 32.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_injection site infection_Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.33.4: Q. 33.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_injection site abscess_Day4		
Value	Label	Cases	Percentage
NA		4	5.6%
No		67	94.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.34.4: Q. 34.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_any other_Day4		
Value	Label	Cases	Percentage
NA		5	7.0%
No		66	93.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.35.4: Q. 35.4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_if other_Day4		
Value	Label	Cases	Percentage
Better		6	8.5%
NA		4	5.6%
Same		61	85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.36.4: Q. 36.4			
Information	[Type= discrete] [Format=character] [Missing=*]		

# Q.36.4: Q. 36.4			
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		What is infants' condition since previous assessment_Day4	
Value	Label	Cases	Percentage
Cured		1	1.4%
NA		3	4.2%
Patient Left		1	1.4%
Treatment continuing		66	93.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.30.5: Q. 30.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Adverse events_diarrhea_Day5	
Value	Label	Cases	Percentage
NA		5	7.0%
No		66	93.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.31.5: Q. 31.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Adverse events_reduced urine output_Day5	
Value	Label	Cases	Percentage
NA		5	7.0%
No		66	93.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.32.5: Q. 32.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Adverse events_injection site infection_Day5	
Value	Label	Cases	Percentage
NA		5	7.0%
No		66	93.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.33.5: Q. 33.5			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
Pre-question		Adverse events_injection site abscess_Day5	
Value	Label	Cases	Percentage
NA		5	7.0%
No		66	93.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.34.5: Q. 34.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_any other_Day5		
Value	Label	Cases	Percentage
NA		6	8.5%
No		65	91.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.35.5: Q. 35.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_if other_Day5		
Value	Label	Cases	Percentage
Better		5	7.0%
Cured		5	7.0%
NA		5	7.0%
Same		56	78.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.36.5: Q. 36.5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	What is infants' condition since previous assessment_Day5		
Value	Label	Cases	Percentage
Cured		5	7.0%
NA		5	7.0%
Treatment continuing		61	85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.30.6: Q. 30.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_diarrhea_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.31.6: Q. 31.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_reduced urine output_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.32.6: Q. 32.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_injection site infection_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.33.6: Q. 33.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_injection site abscess_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.34.6: Q. 34.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_any other_Day6		
Value	Label	Cases	Percentage
NA		12	16.9%
No		59	83.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.35.6: Q. 35.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_if other_Day6		
Value	Label	Cases	Percentage
Better		2	2.8%
Cured		3	4.2%
NA		11	15.5%
Same		55	77.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.36.6: Q. 36.6			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	What is infants' condition since previous assessment_Day6		
Value	Label	Cases	Percentage
NA		11	15.5%
Treatment continuing		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# Q.30.7: Q. 30.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_diarrhea_Day7		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.31.7: Q. 31.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_reduced urine output_Day7		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.32.7: Q. 32.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_injection site infection_Day7		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.33.7: Q. 33.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_injection site abscess_Day7		
Value	Label	Cases	Percentage
NA		11	15.5%
No		60	84.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.34.7: Q. 34.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		
Pre-question	Adverse events_any other_Day7		
Value	Label	Cases	Percentage
NA		12	16.9%
No		59	83.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q.35.7: Q. 35.7			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=0 /-]		

Q.35.7: Q. 35.7**Pre-question** Adverse events_if other_Day7

Value	Label	Cases	Percentage
Cured		54	76.1%
NA		11	15.5%
Same		6	8.5%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# Q.36.7: Q. 36.7****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=71 /-] [Invalid=0 /-]**Pre-question** What is infants' condition since previous assessment_Day7

Value	Label	Cases	Percentage
Cured		55	77.5%
NA		11	15.5%
Treatment Continuing		5	7.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# Q.37: Q. 37****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=71 /-] [Invalid=0 /-]**Pre-question** Action taken by health worker

Value	Label	Cases	Percentage
NA		71	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.